Product	Quantity	Current Lead Time (weeks)	Lead Time (Aug. 2022)
Controls			
IP20 I/O system X20BM* / X20TB* / X20DI* / X20DO* / X20AI* / X20AO*		40	40
IP20 I/O system rest (included PLC X20CP*)		52	52
X20 safety X20S*		52	52
X20 coated		52	52
X20 sets X20:* / X20Z* / X20A:*	1-100 pcs	52	52
«	101-500 pcs	52	52
«	>500 pcs	52	52
IP67 system X67*		40	40
X90	1 - 50 pcs.	40	40
X90	>50 pcs.	40	40
Controls + HMI			
Power Panels C and T 4PPC* / 6PPT*		48	48
Power Panels C-/T-Panels 4PPC* / 6PPT* custom mylar		48	48
Power Panel 65 4PP065*		52	52
Compact Systems		52	52
Vision Systems (smart sensor and smart camera)			
Vision Systems VS* / VA* / VS* / VC*	1 - 2 pcs	8	8
«	3 - 5 pcs	9	9
«	6 - 10 pcs	10	10
Site Manager (remote maintenance)			
Site Manager accessories: antenna 0RMSM.A*		12	12
Site Manager 0RMSM11*		12	12
нмі			
Panelware 4A* / 4B* / 4PW*		50	50
Mobile Panels 5MP*		50	50
APC910 5Y*	1-15 pcs	50	50
«	16 - 50 pcs	50	50
«	51 - 100 pcs	50	50



16 - 50 pcs   50   50   50   50   60   60   60   60	Product	Quantity	Current Lead Time (weeks)	Lead Time (Aug. 2022)
S	APC2100 5V* / APC2200 5R*	1-15 pcs	50	50
APC3100 SS* 50 50 50 50 50 50 50 50 50 50 50 50 50	«	16 - 50 pcs	50	50
16 - 50 pcs   50   50   50   50   50   50   50   5	«	51 - 100 pcs	50	50
S1 - 100 pcs   50   50   50   50   50   50   50   5	APC3100 5S*	1-15 pcs	50	50
PPC900 5Z* / PPC2100 5W* / PPC2200 5Q* / PPC1200 5F*  1-15 pcs 50 50 50 FO	«	16 - 50 pcs	50	50
16 - 50 pcs   50   50   50   50   50   50   50   5	«	51 - 100 pcs	50	50
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	PPC900 5Z* / PPC2100 5W* / PPC2200 5Q* / PPC1200 5F*	1-15 pcs	50	50
PPC3100 5T*	«	16 - 50 pcs	50	50
16 - 50 pcs   50   50   50   50   50   50   50   5	«	51 - 100 pcs	50	50
S1 - 100 pcs   50   50   50   50   50   50   50   5	PPC3100 5T*	1-15 pcs	50	50
Automation Panels 5AP* (included custom devices)  Motion  ACOPOStrak  Compostrak  Compostr	«	16 - 50 pcs	50	50
Motion         ACOPOStrak         0 - 10 m         On request         On request           «         11 - 50 m         On request         On request           «         51 - 100 m         On request         On request           »         > 100 m         On request         On request           SUPERtrak         22         22           ACOPOS 8V1010* / 8V1090*         1-30 pcs         50         50           «         31-100 pcs         50         50           ACOPOS 8V1180* / 8V128M*         1-15 pcs         50         50           «         50 pcs         On request         On request           ACOPOS coated 8V1010* / 8V1090*         1-10 pcs         50         50           «         11-30 pcs         50         50           ACOPOS coated 8V1180* / 8V128M*         1-5 pcs         50         50	«	51 - 100 pcs	50	50
ACOPOStrak  0 - 10 m On request On request 11 - 50 m On request On request S1 - 100 m On request	Automation Panels 5AP* (included custom devices)		50	50
11 - 50 m On request On request  51 - 100 m On request On request  1 - 30 pcs 50 50  60 31 - 100 pcs 50 50  60 50 60 60 60 60 60 60 60 60 60 60 60 60 60	Motion			
SI - 100 m   On request   On request     SUPERtrak	ACOPOStrak	0 - 10 m	On request	On request
Note	«	11 - 50 m	On request	On request
SUPERtrak       22       22         ACOPOS 8V1010* / 8V1090*       1-30 pcs       50       50         ACOPOS 8V1180* / 8V128M*       1-15 pcs       50       50         ACOPOS 8V1180* / 8V128M*       1-15 pcs       50       50         X       16-50 pcs       50       50         X       50 pcs       On request       On request         ACOPOS coated 8V1010* / 8V1090*       1-10 pcs       50       50         X       11-30 pcs       50       50         X       31-100 pcs       50       50         ACOPOS coated 8V1180* / 8V128M*       1-5 pcs       50       50	«	51 - 100 m	On request	On request
ACOPOS 8V1010* / 8V1090*  1-30 pcs 50 50 50 ACOPOS 8V1180* / 8V128M* 1-15 pcs 50 50 50 40 50 40 50 50 50 50 50 60 60 60 60 60 60 60 60 60 60 60 60 60	«	> 100 m	On request	On request
31-100 pcs 50 50 ACOPOS 8V1180* / 8V128M* 1-15 pcs 50 50  16-50 pcs 50 50  16-50 pcs On request On request ACOPOS coated 8V1010* / 8V1090* 1-10 pcs. 50 50  11-30 pcs. 50 50  ACOPOS coated 8V1180* / 8V128M* 1-5 pcs. 50 50	SUPERtrak		22	22
ACOPOS 8V1180* / 8V128M*  1-15 pcs  50  50  50  60  70  70  70  70  70  70  70  70  7	ACOPOS 8V1010* / 8V1090*	1-30 pcs	50	50
16-50 pcs       50       50         50 pcs       On request       On request         ACOPOS coated 8V1010* / 8V1090*       1-10 pcs.       50       50         11-30 pcs.       50       50         31-100 pcs.       50       50         ACOPOS coated 8V1180* / 8V128M*       1-5 pcs.       50       50	<b>«</b>	31-100 pcs	50	50
X       >50 pcs       On request       On request         ACOPOS coated 8V1010* / 8V1090*       1-10 pcs.       50       50         X       11-30 pcs.       50       50         X       31-100 pcs.       50       50         ACOPOS coated 8V1180* / 8V128M*       1-5 pcs.       50       50	ACOPOS 8V1180* / 8V128M*	1-15 pcs	50	50
ACOPOS coated 8V1010* / 8V1090*  1-10 pcs. 50 50  11-30 pcs. 50 50  31-100 pcs. 50 50  ACOPOS coated 8V1180* / 8V128M*  1-5 pcs. 50 50	«	16-50 pcs	50	50
11-30 pcs. 50 50  31-100 pcs. 50 50  ACOPOS coated 8V1180* / 8V128M*  1-5 pcs. 50 50	«	>50 pcs	On request	On request
«     31-100 pcs.     50     50       ACOPOS coated 8V1180* / 8V128M*     1-5 pcs.     50     50	ACOPOS coated 8V1010* / 8V1090*	1-10 pcs.	50	50
ACOPOS coated 8V1180* / 8V128M* 1-5 pcs. 50 50	«	11-30 pcs.	50	50
	«	31-100 pcs.	50	50
« 6-15 pcs. 50 50	ACOPOS coated 8V1180* / 8V128M*	1-5 pcs.	50	50
	«	6-15 pcs.	50	50

Product	Quantity	Current Lead Time (weeks)	Lead Time (Aug. 2022)
«	16-50 pcs.	50	50
ACOPOS P3 8EI* / 8EC*	1-30 pcs	52	52
«	31-100 pcs	52	52
ACOPOSmulti wall mounting 8BVlxxxxHW* ≤ 22 A 8BVl0014HW, 8BVl0028HW*, 8BVl0055HW*, 8BVl0110HW*, 8BVl0220HW*		40	40
ACOPOSmulti wall mounting 8BVIxxxxHW* ≥ 33 A 8BVI0330HW*, 8BVI0440HW*, 8BVI0660HW*, 8BVI0880HW*, 8BVI1650HW*		40	40
ACOPOSmulti cold plates '8BVIxxxxHC'		40	40
ACOPOSremote 8CV*		52	52
ACOPOSmicro 80V* / 80PS*		50	50
ACOPOSinverter S44* / X64* / P74* / P84*		On request	On request
ACOPOSinverter P66* / P76* / P86*	1 - 10 pcs	52	52
«	11 - 30 pcs	52	52
«	> 30 pcs	52	52
ACOPOSinverter P96*		On request	On request
Customer specific products			
Quantity contract first shipment		52	52
Call off order from quantity contract		52	52
Single-order w/o quantity contract		52	52
All other products		52	52
Accessories (cables,)	As co	orresponding product	responding produ
Discontinued products		On request	On request
Motors with integrated servo drive			
ACOPOSmotor '8DI3' / '8DI4' / '8DI5'		52	52
ACOPOSmotor '8DI3' / '8DI4' / '8DI5' with gearbox		52	52
Motors			
Standard motors 8LSA (assembled in Austria)	1 - 10 pcs	52	52
«	11 - 30 pcs	52	52
Standard motors 8LSA2 / 8LSAA / 8LSA3 / 8LSA4 / 8LS5 / 8LSA7		52	52
Non standard motors 8LSA2 / 8LSAA / 8LSA3 / 8LSA4 / 8LSA5 / 8LSA6		52	52
Non standard motors 8LSA7		52	52
Non standard motors 8LSA8		52	52



8KS8       37       52         8KS9       37       52         8WS       23       52         8LW       52       52         Stepper motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced bearing + brake       +3       +3	Product	Quantity	Current Lead Time (weeks)	Lead Time (Aug. 2022)
8LVB1 / 8LVB2 / 8LVB3       52       52         8LSO9 / 8LSP9       52       52         8LSN4 / 8LSN5       52       52         8LSC4 / 8LSC5 / 8LSC6       52       52         8LSC7       52       52         8LSC8       52       52         8LSE4 / 8LSE6       52       52         8LSE8       52       52         8LSE8       52       52         8JSB/Q       35       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         153       52       52         154       52       52         154       52       52         154	8LVA1 / 8LVA2 / 8LVA3		52	52
8LSO9 / 8LSP9         52         52           8LSN4 / 8LSN5         52         52           8LSC4 / 8LSC5 / 8LSC6         52         52           8LSC7         52         52           8LSC8         52         52           8LSE4 / 8LSE6         52         52           8LSE         52         52           8LSE         35         52           8LSE/Q         35         52           10rque 8LTA / Q 9+C         52         52           10rque 8LTB / K 9         0n request         0n request           8KS8         37         52           8KS9         37         52           8KS9         37         52           8LW         52         52           8LW         52         52           8LW         52         52           8Leye motors options         23         52           8arety encoder (option S0/S1)         +1         +1           8cinforced bearing option 04/11)         +2         +2           8cinforced bearing a brake         0n request         On request           8csc5 A/B/C ("Cigarillo" length)         11         +1           8csrboxes	8LWA1 / 8LWA2 / 8LWA3		52	52
8LSN4 / 8LSN5         52         52           8LSC4 / 8LSC5 / 8LSC6         52         52           8LSC7         52         52           8LSC8         52         52           8LSE4 / 8LSE6         52         52           8LSE8         52         52           8JS         35         52           8JSB/Q         35         52           10rque 8LTA / Q 9+C         52         52           10rque 8LTA / S 9+C         52         52           10rque 8LTB / K 9         0n request         0n request           8KS8         37         52           8KS9         37         52           8KS9         37         52           8LW         52         52           8LW         52         52           52         52         52           8tepper motors 80MP         52         52           52         52         52           52         52         52           52         52         52           52         52         52           52         52         52           52         52         52	8LVB1 / 8LVB2 / 8LVB3		52	52
8LSC4 / 8LSC5 / 8LSC6       52       52         8LSC7       52       52         8LSC8       52       52         8LSE4 / 8LSE6       52       52         8LSE8       52       52         8JS       35       52         8JSB/Q       35       52         152       52       52         8JSB/Q       35       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       35       52         152       35       52         152       35       52         152       35       52         152       35       52         152       35       52         152       35       52         152       35       35 </td <td>8LSO9 / 8LSP9</td> <td></td> <td>52</td> <td>52</td>	8LSO9 / 8LSP9		52	52
8LSC7       52       52         8LSC8       52       52         8LSE4 / 8LSE6       52       52         8LSE8       52       52         8JS       35       52         8JSB/Q       35       52         10rque 8LTA /Q 9+C       52       52         52       52       52         10rque 8LTB / K 9       0n request       0n request         8KS8       37       52         8KS9       37       52         8LW       52       52         8LW       52       52         Servo motors 80MP       52       52         52       52       52         Servo motors options       52       52         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         6earboxes	8LSN4 / 8LSN5		52	52
8LSC8       52       52         8LSE4 / 8LSE6       52       52         8LSE8       52       52         8JS       35       52         8JSB/Q       35       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       52       52         152       37       52         8KS9       37       52         8KWS       23       52         8LW       52       52         52       52         52       52         52       52         52       52         52       52         52       52         52       52         52       52         52       52         52       52<	8LSC4 / 8LSC5 / 8LSC6		52	52
8LSE4 / 8LSE6       52       52         8LSE8       52       52         8US       35       52         8USB/Q       35       52         Torque 8LTA /Q 9+C       52       52         Torque 8LTJ / S 9+C       52       52         Torque 8LTB / K 9       On request       On request         8KS8       37       52         8KS9       37       52         8LW       52       52         8LW       52       52         Servo motors 80MP       52       52         Servo motors options       Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced bearing + brake       +3       +3         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         6earboxes	8LSC7		52	52
8LSE8       52       52         8JS       35       52         8JSB/Q       35       52         Torque 8LTA /Q 9+C       52       52         Torque 8LTJ / S 9+C       52       52         Torque 8LTB / K 9       On request       On request         8KS8       37       52         8KS9       37       52         8LW       52       52         Stepper motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	8LSC8		52	52
8JS       35       52         8JSB/Q       35       52         Torque 8LTA /Q 9+C       52       52         Torque 8LTB / S 9+C       52       52         Torque 8LTB / K 9       On request       On request         8KS8       37       52         8KS9       37       52         8LW       52       52         8LW       52       52         Stepper motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	8LSE4 / 8LSE6		52	52
8JSB/Q       35       52         Torque 8LTA /Q 9+C       52       52         Torque 8LTB / S 9+C       52       52         Torque 8LTB / K 9       On request       On request         8KS8       37       52         8KS9       37       52         8LW       52       52         8LW       52       52         Stepper motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	8LSE8		52	52
Torque 8LTA /Q 9+C         52         52           Torque 8LTB / S 9+C         52         52           Torque 8LTB / K 9         On request         On request           8KS8         37         52           8KS9         37         52           8WS         23         52           8LW         52         52           Stepper motors 80MP         52         52           Servo motors options         52         52           Safety encoder (option S0/S1)         +1         +1           Reinforced bearing (option 04/11)         +2         +2           Reinforced bearing + brake         +3         +3           Reinforced brake         On request         On request           8LSC5 A/B/C ("Cigarillo" length)         +1         +1           Gearboxes	8JS		35	52
Torque 8LTJ / S 9+C         52         52           Torque 8LTB / K 9         On request         On request           8KS8         37         52           8KS9         37         52           8WS         23         52           8LW         52         52           Servo motors 80MP         52         52           Servo motors options         52         52           Safety encoder (option S0/S1)         +1         +1           Reinforced bearing (option 04/11)         +2         +2           Reinforced brake         On request         On request           8LSC5 A/B/C ("Cigarillo" length)         +1         +1           Gearboxes	8JSB/Q		35	52
Torque 8LTB / K 9         On request         On request           8KS8         37         52           8KS9         37         52           8WS         23         52           8LW         52         52           Stepper motors 80MP         52         52           Servo motors options         52         52           Safety encoder (option S0/S1)         +1         +1           Reinforced bearing (option 04/11)         +2         +2           Reinforced bearing + brake         +3         +3           Reinforced brake         On request         On request           8LSC5 A/B/C ("Cigarillo" length)         +1         +1           Gearboxes	Torque 8LTA /Q 9+C		52	52
8KS8       37       52         8KS9       37       52         8WS       23       52         8LW       52       52         Servo motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced bearing + brake       +3       +3         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	Torque 8LTJ / S 9+C		52	52
8KS9       37       52         8WS       23       52         8LW       52       52         Servo motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced bearing + brake       +3       +3         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	Torque 8LTB / K 9		On request	On request
8WS       23       52         8LW       52       52         Stepper motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced bearing + brake       +3       +3         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	8KS8		37	52
8LW       52       52         Stepper motors 80MP       52       52         Servo motors options         Safety encoder (option S0/S1)       +1       +1         Reinforced bearing (option 04/11)       +2       +2         Reinforced bearing + brake       +3       +3         Reinforced brake       On request       On request         8LSC5 A/B/C ("Cigarillo" length)       +1       +1         Gearboxes	8KS9		37	52
Stepper motors 80MP 52 52  Servo motors options  Safety encoder (option S0/S1) +1 +1 +1  Reinforced bearing (option 04/11) +2 +2  Reinforced bearing + brake +3 +3  Reinforced brake On request On request 8LSC5 A/B/C ("Cigarillo" length) +1 +1  Gearboxes	8WS		23	52
Servo motors options  Safety encoder (option S0/S1) +1 +1 Reinforced bearing (option 04/11) +2 +2 Reinforced bearing + brake +3 +3 Reinforced brake On request On request 8LSC5 A/B/C ("Cigarillo" length) +1 +1 Gearboxes	8LW		52	52
Safety encoder (option S0/S1) +1 +1 Reinforced bearing (option 04/11) +2 +2 Reinforced bearing + brake +3 +3 Reinforced brake On request On request 8LSC5 A/B/C ("Cigarillo" length) +1 +1 Gearboxes	Stepper motors 80MP		52	52
Reinforced bearing (option 04/11) +2 +2 Reinforced bearing + brake +3 +3 Reinforced brake On request On request 8LSC5 A/B/C ("Cigarillo" length) +1 +1 Gearboxes	Servo motors options			
Reinforced bearing + brake +3 +3  Reinforced brake On request On request 8LSC5 A/B/C ("Cigarillo" length) +1 +1  Gearboxes	Safety encoder (option S0/S1)		+1	+1
Reinforced brake  8LSC5 A/B/C ("Cigarillo" length)  41  41  Gearboxes	Reinforced bearing (option 04/11)		+2	+2
8LSC5 A/B/C ("Cigarillo" length) +1 +1  Gearboxes	Reinforced bearing + brake		+3	+3
Gearboxes	Reinforced brake		On request	On request
	8LSC5 A/B/C ("Cigarillo" length)		+1	+1
8GP40 / 8GF40 / 8GA40 / GP45 52	Gearboxes			
	8GP40 / 8GF40 / 8GA40 / GP45		5	52
8GA45 / 8GP50 / 8GA50 / 8GP55 52	8GA45 / 8GP50 / 8GA50 / 8GP55		5	52



B&R tries to deliver the respective products according to below indicative lead times, but we cannot bindingly commit to such dates which can be changed at any time.

Product	Quantity	Current Lead Time (weeks)	Lead Time (Aug. 2022)
8GP60 / 8GF60 / 8GA60 / 8GP65 / 8GA65		5	52
8GA55 / 8GP70 / 8GF70 / 8GA75		5	52
Reduced backlash ("R") option		+1	+1
Motor with assembled gearbox		lead time motor +1	lead time motor +1

## Standard motors list:

https://www.br-automation.com/en/products/motion-control/8ls-synchronous-motors/